

Still the “World’s Fastest Derivation of the Lorentz Transformation”

Alan Macdonald
Department of Mathematics
Luther College, Decorah, IA, U.S.A.
macdonal@luther.edu

February 2, 2008

Abstract

Rothenstein’s claim of a “faster” derivation of the Lorentz transformation is not correct.

Many years ago I published a short note “Derivation of the Lorentz transformation” [1]. A somewhat improved version is posted on my web page under the title “World’s fastest derivation of the Lorentz transformation” [2]. Recently Rothenstein has written “A faster than ‘World [sic] fastest derivation of the Lorentz transformation’ ” [3].

My purpose here is to present my “fastest” derivation and then show that Rothenstein’s claim of a “faster” derivation is wrong.

Assume:

(A) The speed of light is the same in all inertial frames. (Take $c = 1$.)

(B) A clock moving with constant velocity v in an inertial frame I runs at a constant rate $\gamma = \gamma(|v|)$ with respect to the synchronized clocks of I which it passes.

Assumption (B) follows directly from the relativity principle. We do not assume that the Lorentz transformation is linear.


In the figure, E is an arbitrary event plotted in an inertial frame I , $L+$ and $L-$ are the two light worldlines through E , and O is the worldline of the spatial origin of an inertial frame I' moving with velocity v in I . On O ,

$$X' = 0, \quad X = vT, \quad \text{and} \quad T = \gamma T'.$$

Thus on O ,

$$T + X = \gamma(1 + v)(T' + X') \quad (1)$$

$$T - X = \gamma(1 - v)(T' - X'). \quad (2)$$



Since $c = 1$ in I , an increase in T along $L-$ is accompanied by an equal decrease in X . Thus $T + X$ is the same at E and F . Likewise, since $c = 1$ in I' , $T' + X'$ is the same at E and F . Thus Eq. (1), which is true at F , is also true at E . Similar reasoning using $L+$ proves Eq. (2) true at E . Add and subtract Eqs. (1) and (2):

$$T = \gamma(T' + vX') \quad (3)$$

$$X = \gamma(vT' + X'). \quad (4)$$

For $X = 0$ in Eq. (4), $X' = -vT'$; the origin of I has velocity $-v$ in I' . Thus, switching I and I' and using (B), the reasoning for Eq. (1) also gives $T' + X' = \gamma(1 - v)(T + X)$. Substituting this in Eq. (1) gives $\gamma = (1 - v^2)^{-\frac{1}{2}}$. This completes the derivation of the Lorentz transformation.

Rothenstein writes that my “Assumption B is a cryptic way of presenting the time dilation effect.” This is not correct: Assumption B does not assume a specific form for the time dilation effect. As far as the assumption is concerned, γ could be identically 1, meaning no time dilation. I *derive* the time dilation factor γ in the course of my proof of the Lorentz transformation. On the other hand, Rothenstein assumes a specific form for the length contraction effect, his Eq. (1). This strong assumption is what allows his “faster” derivation. In fact, a cursory comparison of the two derivations shows that his is not even faster, despite his strong assumption.

I pointed all this out in a reply to an email from Rothenstein, but received no reply from him.

References

- [1] Macdonald, A. Derivation of the Lorentz transformation, Am. J. Phys. **49**, 493 (1981).
- [2] Macdonald, A. World’s fastest derivation of the Lorentz transformation, <http://faculty.luther.edu/~macdonal>.
- [3] Rothenstein, B. A faster than “World fastest derivation of the Lorentz transformation”, physics/0602153.

This figure "LT.gif" is available in "gif" format from:

<http://arXiv.org/ps/physics/0606046v1>